





ESSENTIAL PACKAGES OF HEALTH SERVICES IN 24 COUNTRIES: FINDINGS FROM A CROSS-COUNTRY ANALYSIS

April 2016

This publication was produced for review by the United States Agency for International Development (USAID). It was prepared by Jenna Wright for the Health Finance and Governance Project. The author's views expressed in this publication do not necessarily reflect the views of USAID or the United States Government.

The Health Finance and Governance Project

USAID's Health Finance and Governance (HFG) project will help to improve health in developing countries by expanding people's access to health care. Led by Abt Associates, the project team will work with partner countries to increase their domestic resources for health, manage those precious resources more effectively, and make wise purchasing decisions. As a result, this five-year, \$209 million global project will increase the use of both primary and priority health services, including HIV/AIDS, tuberculosis, malaria, and reproductive health services. Designed to fundamentally strengthen health systems, HFG will support countries as they navigate the economic transitions needed to achieve universal health care.

April 2016

Cooperative Agreement No: AID-OAA-A-12-00080

Submitted to: Scott Stewart, AOR

Jodi Charles, Senior Health Systems Advisor

Office of Health Systems Bureau for Global Health

Recommended Citation: Wright, J., Health Finance & Governance Project. February 2016. Essential Packages of Health Services in 24 Countries: Findings from a Cross-Country Analysis. Bethesda, MD: Health Finance & Governance Project, Abt Associates.

Photo: Malaria Prevention Program July 2011 Zambia.

Credit: Abt Associates.



Abt Associates | 4550 Montgomery Avenue, Suite 800 North | Bethesda, Maryland 20814 T: 301.347.5000 | F: 301.652.3916 | www.abtassociates.com

Avenir Health | Broad Branch Associates | Development Alternatives Inc. (DAI) | | Johns Hopkins Bloomberg School of Public Health (JHSPH) | Results for Development Institute (R4D) | RTI International | Training Resources Group, Inc. (TRG)

ESSENTIAL PACKAGES OF HEALTH SERVICES IN 24 COUNTRIES: FINDINGS FROM A CROSS-COUNTRY ANALYSIS

This report is the first in a series on essential packages of health services in low- and middle-income countries. The series is available at https://www.hfgproject.org/ephs-epcmd-country-snapshots-series/.

CONTENTS

Acronyms	ii
Acknowledgements	
Introduction	1
What is an essential package of health services?	1
Methodology	3
Service coverage	3
Population coverage	4
Mode of health service delivery	4
Financial coverage	4
Findings	5
Cross-Cutting Themes	5
Discussion	9
Sources	11
Annex A	13

ACRONYMS

AIDS Acquired Immune Deficiency Syndrome

EPCMD Ending Preventable Child and Maternal Deaths

EPHS Essential Package of Health Services

DTP3 Diphtheria Tetanus Toxoid and Pertussis

HFG Health Finance & Governance Project

HIV Human Immunodeficiency Virus

RMNCH Reproductive, Maternal, Newborn and Child Health
USAID United States Agency for International Development

WHO World Health Organization

ACKNOWLEDGEMENTS

The series of reports on essential packages of health services benefitted from the valuable input of several people. The author thanks Jodi Charles and Scott Stewart (Office of Health Systems, Bureau of Global Health, United States Agency for International Development) for their leadership and guidance throughout the study period. The author is grateful for technical input provided by Trent White, Karen Cavanaugh, Jeanna Holtz, Jeremy Kanthor, Sharon Nakhimovsky, Chris Lovelace, Catherine Conner, Laurel Hatt, Marianne El-Khoury, and Ufara Zuwasti Curran. Many people contributed to publication and dissemination of this resource: Lynda Tison, Megan Meline, Anina Tardif-Douglin, MariaClaudia De Valdenebro, and Yara Francis.

INTRODUCTION

Every country in the world has finite resources for providing health care to its citizens. Policy makers are faced with a need to determine where to target limited resources.

Explicitly prioritizing certain health care services and technologies can enable low- and middle-income countries to reach key development and public health goals (Glassman et al 2016). Certain health care interventions generate greater positive outcomes than others, which in turn lead to improvements in a country's poverty, disease, or inequity burden. Such interventions may be prioritized because they are highly cost-effective or of moral importance, as is generally the case for maternal, newborn, and child health care interventions, among others.

Once policy makers define priority services, they also must ensure that the services are available to all who need them. The World Bank's seminal 1993 World Development Report concluded that "governments have a fundamental responsibility for ensuring universal access to an essential package of clinical services, with special attention to reaching the poor."

This study analyzed essential packages of health services (EPHS) from the United States Agency for International Development's 24 Ending Preventable Child and Maternal Deaths (EPCMD) countries. It resulted in 24 country snapshots, each of which serves as a resource to policy makers, researchers, and the international community at large. Each snapshot identifies the contents of the country's EPHS; provides context for how the EPHS contributes to governance of the health sector; and presents an analysis of the extent to which priority reproductive, maternal, newborn and child health (RMNCH) interventions are represented in the EPHS. The snapshots summarize key findings on how the government aims to improve access to the EPHS by priority or vulnerable populations, how the government makes the EPHS physically and financially available to its citizens, and the status of health equity in the country

The qualitative data gathered for this study provided a basis for the cross-country comparative analysis presented in the following sections. The analysis highlighted broad themes related to how governments use the EPHS and related policies and programs to improve health service delivery and health outcomes.

What is an essential package of health services?

An EPHS is a list of clinical and public health services that a government has determined as priority for the country. It is often published in a national level policy document such as a Health Sector Strategic Plan or similar document, although there are many exceptions to this rule among the countries we studied. According to the World Health Organization (WHO 2008), EPHSs "aim to concentrate scarce resources on interventions which *provide the best 'value for money'*. By doing this, [essential packages of health services] are often expected to achieve multiple goals: improved efficiency; equity; political empowerment, accountability, and altogether more effective care."

¹ Ending Preventable Child and Maternal Deaths countries are: Afghanistan, Bangladesh, Democratic Republic of Congo, Ethiopia, Ghana, Haiti, India, Indonesia, Kenya, Liberia, Madagascar, Malawi, Mali, Mozambique, Nepal, Nigeria, Pakistan, Rwanda, Senegal, South Sudan, Tanzania, Uganda, Yemen, and Zambia



We used the following definition of an EPHS for the purpose of identifying those services that best represented the country's EPHS:

The EPHS comprises those health care services that the government is providing or is aspiring to provide to its citizens in an equitable manner. Equity involves equal coverage across population groups, adequate physical access to services for all, and adequate financial protection, particularly for the poor.

No single EPHS is appropriate for every country in the world. Countries vary with respect to disease burden, level of poverty and inequality, moral code, social preferences, operational challenges, financial challenges, and so on. Weighing the cost-effectiveness analysis of different services for the context is one way of prioritizing health care interventions, but governments also consider political, technical, or social factors when setting priorities (WHO 2008).

An EPHS is closely related to the concept of universal health coverage. The World Health Organization (WHO) defines three core dimensions of universal coverage (Figure 1): services covered, proportion of costs covered, and population covered. The EPHS, as a statement of the government's priority services, also needs to consider the two other dimensions. Programs and policies established to support EPHS implementation often involve improving physical and financial access to services for priority and vulnerable populations. The EPHS and related programs and policies may be one of several strategies or the main strategy for a country to move toward universal health coverage.

Reduce cost sharing and fees Extend to Include non-covered other services Direct costs: proportion of the costs covered Population: who is covered? Services: which services are covered? Source: Who 2015

Figure I: Three Dimensions of Universal Health Coverage

METHODOLOGY


To inform the country snapshots, the Health Finance and Governance (HFG) Project reviewed primary sources (e.g., government policy documents) and secondary sources (e.g., peer-reviewed articles, international reports, and gray literature) to identify the country's EPHS and describe the service coverage, population coverage, mode of health services delivery, and financial coverage of the country's EPHS. The review took place between August 2014 and December 2015.

Service coverage

We described the service coverage of the country's EPHS in three ways. First, HFG identified the actual list of services included in the government's EPHS. This information was presented in an annex of each country snapshot.

Second, HFG evaluated the extent to which a country's EPHS included RMNCH interventions by comparing each country's EPHS to the list of 60 priority RMNCH interventions proposed by the Partnership for Maternal, Newborn and Child Health (PMNCH 2011). We developed and applied an algorithm to categorize how each of the 60 priority RMNCH interventions relates to the country's EPHS (Figure 2).

Figure 2: Algorithm Used to Categorize the 60 Priority RMNCH Interventions



The comparison between a government's EPHS and the priority RMNCH interventions should be interpreted with caution. Priority RMNCH interventions tend to be more specific than those in an EPHS. For example, an EPHS may include "prevention of pre-eclampsia" or "antenatal care," but the priority intervention is "low-dose aspirin to prevent pre-eclampsia." In this case, the intervention would fall into the "unspecified" category because while it is clinically related to the general service in the EPHS, the documentation did not specify that health workers should use low-dose aspirin. Some governments have published clinical standards and guidelines that provide this level of detail. When available, we used the most detailed documentation published by the government to confirm whether health workers are guided to provide the particular intervention.

Third, to describe service coverage, where available we used key RMNCH indicators from the Global Health Observatory² that quantify the extent to which certain RMNCH services are available and used in a country. Indicators include:

- ▶ Pregnant women sleeping under insecticide-treated nets (%)
- ▶ Births attended by skilled health personnel (in the five years preceding the survey) (%)
- ▶ BCG immunization coverage among one-year-olds (%)
- Diphtheria tetanus toxoid and pertussis (DTP3) immunization coverage among one-year-olds (%)
- Median availability of selected generic medicines (%)—private
- ▶ Median availability of selected generic medicines (%)—public.

Population coverage

We described population coverage of the EPHS by identifying the sub-populations targeted by the government for improved access to the EPHS. For example, a national government may identify a specific initiative to improve adolescents' access to the EPHS.

We also obtained and presented key findings from the Health Equity Country Profile for each country, when available.³ The Profiles lend insight into the country's population coverage of the EPHS because the Profiles stratify health services utilization information by certain sub-populations (e.g., place of residence, sex, age, and wealth). Health Equity Country Profiles were not available for Afghanistan or South Sudan.

Mode of health service delivery

We reviewed relevant literature to describe the mode of delivery of services included in the EPHS. This information is to provide context and reference information on how the government has incorporated the EPHS into the country's health service delivery system.

Financial coverage

We identified national and sub-national initiatives aimed at reducing financial barriers to access the EPHS. One example of an initiative is the reduction or elimination of user fees for services included in the EPHS.

² http://www.who.int/gho/en/

³ http://www.who.int/gho/health equity/countries/en/

To our knowledge, this study is the most comprehensive review of EPHS adopted by governments of low- and middle-income countries to date. We found that 23 of the 24 countries in the review have defined an EPHS. The one exception is the Government of Mozambique, which does not have an EPHS that fits our definition but recently committed to developing one. Also, only one of Pakistan's four provinces (Punjab) has defined an EPHS; we considered that EPHS as Pakistan's EPHS for purposes of this study. Eighteen of the 24 governments have adopted an official name for their EPHS and the names vary. For example, Ethiopia's government refers to its EPHS as "Essential Health Services Package for Ethiopia," while Mali calls its EPHS the "Paquet Minimum d'Activité (Minimum Package of Activities)."

Several countries—Ghana, Madagascar, Senegal, Yemen, and Zambia—define essential services in multiple policy documents rather than packaging them under one umbrella term.

Cross-Cutting Themes

In general, a majority of priority RMNCH interventions are represented in EPHS (Figure 3).

Figure 3 shows the proportion of priority RMNCH interventions categorized as included, unspecified, implicitly excluded, or explicitly excluded (refer to Figure 2 above for category definitions).




Figure 3: Evidence of RMNCH Interventions in EPHS

Most governments *included* a majority of the RMNCH interventions in the EPHS, as depicted in dark green. The light green represents the large portion of *unspecified* interventions—those that were clinically related to the services included in the EPHS, but not specified at that level of detail. A small minority of the priority RMNCH interventions were not included in the EPHS, either *implicitly* or *explicitly*.

Certain interventions are rarely found in an EPHS, while others are found frequently.

Figure 4 depicts the interventions that were least often categorized as *included* in the EPHS and the interventions that were most often categorized as *included*.




Figure 4: Interventions Most and Least Often Included in EPHS

It is important to note that these findings depend in part on the specificity of the intervention under review. Alone, this analysis does not provide sufficient information to determine which interventions are the lowest and highest priorities of national governments. For example, the intervention least often categorized as *included* in the EPHS is "low dose aspirin to prevent pre-eclampsia (for adolescents and pre-pregnancy)." This highly specific intervention is unlikely to be mentioned in a national policy document. In contrast, the intervention most often categorized as *included* in the EPHS reviewed is "nutrition counseling." Relative to many others, this is a broad intervention.

Interventions related to certain service or disease areas are frequently included in EPHS.

Annex A includes a series of figures depicting the representation of priority interventions, grouped by service or disease area.

In general, family planning interventions are well represented in EPHS across countries. Interventions to prevent and manage maternal infections are least represented in EPHS, in part because those interventions tend to be defined very narrowly.

Certain interventions are frequently excluded from an EPHS, either explicitly or implicitly.

Figure 5 depicts the interventions that were most often categorized as *explicitly excluded* from the EPHS and those that were most often categorized as *implicitly excluded* from an EPHS.




Figure 5: Interventions Most Often Excluded from EPHS

As stated previously, it is important to note that these findings partially depend on the specificity of the intervention under review. Alone, this analysis does not provide sufficient information to determine which interventions are the lowest priorities of national governments.

Governments use similar service delivery mechanisms to deliver the EPHS to their citizens.

In reviewing the modes of EPHS delivery in all 23 countries with an EPHS, we found that governments use similar service delivery mechanisms. Most governments deliver EPHS services primarily through public sector primary care and referral facilities. Many also use community health workers to expand access to hard- to-reach and marginalized populations.

Governments seek to expand access to the EPHS for priority and vulnerable population groups through policies and initiatives related to EPHS.

The governments of the 23 countries with an EPHS specified strategies to improve access to the EPHS for priority sub-populations, such as women, adolescents, rural populations, and the indigent. In its EPHS document and accompanying literature, Nigeria's government targets the following groups for improved geographic and financial access to the EPHS: pregnant women, children under five, orphans, and the elderly. Bangladesh's EPHS and accompanying operational plans include specific strategies to improve care provision for the following sub-populations: the hard-to-reach, the disadvantaged or poor, urban, newborns, children, adolescents, women, people with disabilities, the elderly, and HIV and AIDS patients.

Governments seek to provide financial protection through policies related to the EPHS,

All governments we reviewed provided some financial protection, but specific initiatives and the extent of their use varied. Financial protection initiatives include:

- Social health insurance (for civil servants, formal sector employees, informal sector employees, the indigent, and more)
- ▶ Government-sponsored or subsidized community-based health insurance
- User fee exemptions (for some or all of the services included in the EPHS).

Governments use the EPHS for a range of practical governance applications.

Our review of policy documents showed that different governments appear to use the EPHS for different health sector governance purposes. There does not seem to be one central policy objective that fits the EPHS profile in every country.

Some governments use the EPHS for health sector stewardship or for guiding private sector service delivery. For example, in Afghanistan, health service provision is through non-governmental organization facilities. The government intends to use the EPHS as a means of setting standards for provision of care across all providers. Similarly, in Zambia, the government signed agreements with Churches Health Association of Zambia facilities to provide the services in the EPHS in areas not adequately covered by a public facility, and uses the EPHS as a means of setting standards.

Governments use the EPHS to promote accountability among health care facilities and facility staff by specifying which services should be available across the system. India's government, for example, uses its EPHS (also known as the Indian Public Health Standards) in this way.

Other governments use the EPHS as a planning tool for improving population coverage, increasing financial protection or improving certain factors that affect service delivery. The Liberian government's EPHS is an example of an EPHS that serves a planning and implementation function.

DISCUSSION

An EPHS is a package of health care services that the government is providing or is aspiring to provide to its citizens in an equitable manner. An EPHS, published by a national government, can be an important and in some cases bellwether policy document and governance tool for the health sector. Most low- and middle-income country governments have published an EPHS; some have gone through several iterations over decades. The governments in our study usually specified the EPHS in a policy document that governs the health sector, such as a Health Sector Strategic Plan.

The findings from our study suggest that the concepts of EPHS and universal health coverage are linked, albeit not always explicit. The process of defining an EPHS and building operational initiatives around it can help governments expand service coverage, population coverage, and financial protection for a set of prioritized services. But our study also found that the process of development and implementation of an EPHS varies between countries, and a government's policy objectives for the EPHS are not always explicit. Many governments struggle to provide the full package. In response, governments design separate initiatives aimed at promoting access to and use of health services for certain populations. Using the EPHS as a means of truly defining the essential services in that country, while ensuring a strong and explicit link between the EPHS and other health sector initiatives, will help governments streamline their major health systems strengthening efforts.

Once an EPHS is defined, policy makers have the difficult job of ensuring the services are actually available to and accessed by the population in an equitable manner. While the translation from policy to implementation looks different in every country, there are several ways policy makers can fulfill the promise of the EPHS. Policy makers might seek to align major health sector initiatives with the EPHS. They might promote the EPHS to health care workers by incorporating its policies and objectives directly into trainings, clinical standards documents, and others. Ministries of Health and Finance might use the EPHS framework as a reference point to optimize health sector resource distribution and budgeting.

An EPHS is an output of a priority-setting exercise, but work cannot stop there. Policy makers need to take concrete steps to ensure that the EPHS serves its ultimate purpose: equitable access to essential services.

SOURCES

- Amanda Glassman, Ursula Giedion, Yuna Sakuma & Peter C. Smith (2016) Defining a Health Benefits Package: What Are the Necessary Processes?, Health Systems & Reform, 2:1, 39-50, DOI: 10.1080/23288604.2016.1124171
- Partnership for Maternal, Newborn and Child Health. 2011. A Global Review of the Key Interventions Related to Reproductive, Maternal, Newborn, and Child Health (RMNCH). Geneva.
- World Bank. 1993. World Development Report. Investing in Health. Washington, DC.
- World Health Organization. 2008. Essential Health Packages: What are they for? What do they change? DRAFT Technical Brief No. 2, 3 July. WHO Service Delivery Seminar Series. http://www.who.int/healthsystems/topics/delivery/technical_brief_ehp.pdf. Accessed June 2014.
- World Health Organization. 2015. "Universal coverage—three dimensions."

 Webpage. http://www.who.int/health_financing/strategy/dimensions/en/ Accessed December 2015.

ANNEX A

Figures depicting number of countries including interventions in EPHS, grouped by service or disease area





Figure A1: Interventions for Family Planning Included in EPHS










Figure A4: Interventions for Prevention of Maternal and Child Anaemia Included in EPHS




Figure A5: Interventions for Prevention of Eclampsia Included in EPHS




Figure A6: Interventions for Prevention of Maternal Infections Included in EPHS




Figure A7: Interventions for Prevention and Management of Post Partum Haemorrhage Included in EPHS




Figure A8: Interventions for Prevention and Management of Malaria Included in EPHS




Figure A9: Interventions for Prevention and Management of Sexually Transmitted Infections Included in EPHS

